

TEST REPORT

Report No. : GR:HL:1352000720	DATE : 21st May, 2022
--------------------------------------	---



J.K. ENTERPRISE
 9-B, 3RD FLOOR, STARZONE MALL,
 NR NASHIK ROAD COLLEGE,
 NASHIK ROAD -422101,
 NASHIK, MAHARASHTRA,
 INDIA
CONTACT PERSON: MR. SANJAY SAHNI

THE FOLLOWING SAMPLE(S) WAS/WERE SUBMITTED AND IDENTIFIED BY/ON BEHALF OF THE CUSTOMER AS :

SAMPLE DESCRIPTION	DECCO GRAPAGE GRAPE GUARD
STYLE NO.	23.5 X 16 -2.5GM, 23.5 X 35- 5GM, 23.5 X 38-6GM, 23.5 X 47-7GM, 35 X 47-8.5GM, 35 X 47 - 10GM,
SAMPLE RECD ON	26/04/2022
TEST PERFORMING DATE	13/05/2022 TO 20/05/2022

SUMMARY OF TEST RESULTS:

TEST REQUESTED	CONCLUSION
DIMETHYL FUMARATE	SEE RESULT

TEST(S) RESULT & METHOD: PLEASE REFER TO NEXT PAGE(S)

Per Pro SGS India Private Ltd



Authorised Signatory
Prabhat Ranjan Jena
(Manager-RSL)
 Email your Test Report Related Enquiries at Feedback.HLT@sgs.com

TEST REPORT

Report No. : GR:HL:1352000720

DATE : 21st May, 2022



TEST RESULTS:

DIMETHYL FUMARATE:

METHOD: In-House method. Liquid extraction. Analysis was conducted by GC/MSD.


TEST NAME	TEST RESULT	REQUIREMENT
Dimethyl Fumarate	Not Detected	/

Detection limit: 0.1 ppm

Tested Item: DECCO GRAPAGE GRAPE GUARD

Note: Testing has been performed as per customer request.

Sample as Received



***** END OF REPORT*****